

## Shotcretor (Dry Mix) Trade Test Mock Written Test Paper

此文件關於噴射混凝土工(乾料)工藝測試考題有需要索取此文件的中文版本,請致電 2100 9000 與香港建造業工藝測試中心聯絡。

## **Disclaimer**

No part of this material may be reproduced or transmitted in any form or any means without the written permission of the CIC. Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions.

## **Enquiries**

Enquiries on this Material may be made to the Hong Kong Construction Industry Trade

Testing Centre at:

95, Yue Kwong Road Aberdeen Hong Kong

Tel: (852) 2100 9000

Fax: (852) 2100 9090

Email: enquiry@cic.hk

Website: www.cic.hk

© 2020 Construction Industry Council.

- 1. According to the Construction Sites (Safety) Regulations, who is/are not allowed to get into construction sites if they have not worn proper hard hat?
  - a. Workers
  - b. Anyone
  - c. Technicians
  - d. Engineers
- 2. When working at height, apart from wearing the safety helmet, you should appropriately use:
  - a. Thes safety harness
  - b. Hiking shoes
  - c. Cotton gloves
  - d. Protective goggles
- 3. When using the abrasive wheel cutting-off machine, you should first wear:
  - a. Cotton gloves
  - b. the earmuff
  - c. A safety harness
  - d. Protective goggles
- 4. It is a must to set up a first aid box or cupboard where the number of workers employed in a construction site is:
  - a. More than 10 workers
  - b. More than 15 workers
  - c. More than 20 workers
  - d. More than 5 workers
- 5. Which method should be used by a shotcretor during shotcreting?
  - a. From top to bottom
  - b. In circular motion
  - c. From left to right
  - d. From right to left

- 6. What should be done before construction if there is a dry working surface?
  - a. Paint its surface with grout
  - b. Pave it with asphalt paper
  - c. Sprinkle with water
  - d. Pave it with thin plastic film
- 7. What will be mixed into the concrete used for construction?
  - a. Accelerator
  - b. Coolant
  - c. Anticoagulant
  - d. Retarder
- 8. Who is responsible for mixing the concrete with water when shotcreting?
  - a. Construction foreman
  - b. Engineering assistant
  - c. Truck driver
  - d. Shotcretor
- 9. During construction, what should be added to the joints of high-pressure flexible lead hoses?
  - a. A security lock
  - b. A safety wire rope sling
  - c. An iron safety sign
  - d. A safety cable tie
- 10. How should the steel mesh on the construction site be kept on the surface of slope?
  - A. A suitable protective layer should be provided
  - B. Be closely attached to the surface of slope
  - C. Be placed anywhere
  - D. Be installed one meter away from the slope

11.	hos A. B. C.	fore spraying shotcrete, the discharging hole of all hydrophobic plastic ses installed on the slope should:  All outlets should be properly sealed  All open  Maintain good ventilation  Be placed anywhere
12.	the A. B. C.	en spraying shotcrete on the slope during construction, where should air compressor be placed on the site?  The top of the slope  The edge of the slope  Up to workers' preference  A smooth and hard ground
13.	"ad A. B. C.	accordance with the Prevention of Bribery Ordinance, the definition of Ivantage" includes  loans and services only personal services only gifts, loans and services loans only
14.	ind A. B. C.	nat is the consequence if there is any act of bribery in the construction ustry?  Improve business environment  Create a fairer tendering  Lower the quality of the construction  Lower the cost of construction
15.	ma A. B. C.	violating the section 9 of the Prevention of Bribery Ordinance, the ximum penalty is  a fine of \$500,000 fine and imprisonment for 7 years  a fine of \$10,000 fine and imprisonment for 1 year  an imprisonment for 10 years  an imprisonment for 20 years

16.	In accordance with the Prevention of Bribery Ordinance, what is the minimum amount of "advantage"?			
	A.	HK\$100		
	B.	Without any limit		
		HK\$500		
	D.	HK\$1000		
17.	When working in the tunnel, workers must holded which type of identify			
	card as below?			
	A.	Construction Materials Rigger		
	B.	Gas Welding Safety Card		
	C.	Confined Spaces Certified Worker		
	D.	I.D.Card		
18.	The expiry date of Certificate of Test and Thorough Examinations of			
		ains, Ropes and Lifting Gear (Form 6/7) is		
		6 months		
		1 month		
		3 months		
	D.	12 months		
19.	The inspection time for Reports of Results of Inspections of Lifting			
		oliances (Form 1) is		
		once every two weeks		
	В.	once a month		
		once every two months		
	D.	once a week		

- 20. Use on site platform, the working platform must be inspected as a matter of routine by a licensed supervisor and the form filled with the time recorded. The routine inspection should be carries out \_\_\_\_\_.
  - A. every 12 days
  - B. every week
  - C. every month
  - D. every 14 days