

Joiner (Assembling) Trade Test Mock Written Test Paper

此文件關於細木工(組裝)工藝測試考題有需要索取此文件的中文版本·請致電 2100 9000 與香港建造業 工藝測試中心聯絡。

Disclaimer

No part of this material may be reproduced or transmitted in any form or any means without the written permission of the CIC. Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions.

Enquiries

Enquiries on this Material may be made to the Hong Kong Construction Industry Trade Testing Centre at:

> 95, Yue Kwong Road Aberdeen Hong Kong

Tel: (852) 2100 9000 Fax: (852) 2100 9090 Email: enquiry@cic.hk Website: <u>www.cic.hk</u>

© 2020 Construction Industry Council.

- 1. Which of the following is a more suitable protection for the eyes while using a chainsaw?
 - A. Safety goggles
 - B. Sunglasses
 - C. Plastic spectacles
 - D. Glass spectacles
- 2. Before getting off work every day, how should the tools used during the day be handled?
 - A. No attention needed; simply wait for the foreman to put them away
 - B. No attention needed; simply wait for the apprentices to put them away
 - C. No attention needed; simply wait for the site general workers to put them away
 - D. Put them away properly back into the toolbox
- 3. Which of the following types of personnel is allowed to work in confined space?
 - A. Foreman
 - B. Engineer
 - C. Holders of a valid certificate for working inside confined space
 - D. Company director
- 4. Which of the following is a facility under the Construction Sites (Safety) Regulations?
 - A. Sufficient and suitable lighting devices
 - B. Good and unobstructed escape route
 - C. Install safety fences to prevent falling into the water and drowning
 - D. All of the options
- 5. What should you do when an electric tool malfunctions?
 - A. Stop using the tool and try to fix it yourself
 - B. Stop using the tool and return it to its original position
 - C. Stop using the tool and report to the supervisor, who will arrange for repairs
 - D. Stop using tool, stop working and wait to get off work

- 6. Where on the construction site can construction waste be burnt?
 - A. Temporary scrap storage
 - B. Temporary soil storage
 - C. Open area
 - D. Nowhere
- 7. Which of the following should be maintained on a construction site?
 - A. Air circulation
 - B. Adequate lighting
 - C. Unobstructed passage
 - D. All three options are correct
- 8. What factor(s) should be taken into account when working on a site?
 - A. Safety at work
 - B. Taking care of oneself and of others
 - C. The quality of the construction
 - D. All of the three options should be take into account
- 9. Unless permitted otherwise, which of the following groups of persons is not allowed to enter the site and work?
 - A. Retired industry workers
 - B. Persons under 18 years old
 - C. New immigrants who have registered as a General Workers
 - D. Female workers who have registered as General Workers
- 10. How should the construction scrap generated daily be handled?
 - A. Put into bags and disposed of at the landfill after construction has finished
 - B. Put into bags and disposed of at the rubbish bin of the building
 - C. Put into bags and disposed of at the rubbish bin on the street
 - D. Put into bags and casually disposed of on the streets and alleys

- 11. Which is a more appropriate tool to saw a required angle on the timber flooring?
 - A. Hand saw
 - B. Mitre saw with an adjustable angle
 - C. Circular saw
 - D. Twin saw
- 12. When lifting heavy objects, which of the following methods is correct?
 - A. Ask for a heavier load each time to hasten the process
 - B. Throw the object to higher places to strengthen the body
 - C. Hasten the speed of work suddenly
 - D. Correct posture should be used. Workers should remain upright in their back
- 13. Which of the following is the effect of securing the chin straps of the safety helmet?
 - A. It helps shield you from the sunlight
 - B. It can effectively lower the impact to the head if workers fall down from height
 - C. It prevents the eye from getting hit by foreign object
 - D. It prevents sweats from flowing down during work
- 14. The fence for metal cutter on a wooden table should be nailed:
 - A. 0.3-1.0mm out of the sawing part
 - B. According to personal preference
 - C. At the same distance
 - D. 0.3-1.0mm inside of the sawing part
- 15. Apart from work safety, what should be considered a priority when working in a new construction site?
 - A. Fulfilling the construction quality
 - B. If there is air conditioning at the construction site
 - C. If transportation is convenient
 - D. If there is profit from the construction

- 16. Which tools can detect the piping hidden inside a wall?
 - A. Level
 - B. A metal detector
 - C. Laser line level
 - D. Hydraulic drill

17. How thick usually is the backplane of the wall cabinet?

- A. 6 mm
- B. 12 mm
- C. 15 mm
- D. 18 mm
- 18. When installing a wall cabinet, one should secure which position first?
 - A. The upper left or right corner
 - B. Middle position
 - C. The lower left or right corner
 - D. Left of right side
- 19. How deep should door hinges drill into the door board?
 - A. 4 mm
 - B. 6 mm
 - C. 12 mm
 - D. 18 mm

20. How thick is the plywood commonly used in making kitchen cabinet?

- A. 9 mm
- B. 12 mm
- C. 14 mm
- D. 18 mm

End of Paper