

Painter and Decorator (Metal Paint Spray) Trade Test Mock Written Test Paper

此文件關於髹漆及裝飾工(鐵器噴漆)工藝測試考題有需要索取此文件的中文版本,請致電 2100 9000 與香港建造業工藝測試中心聯絡。

Disclaimer

No part of this material may be reproduced or transmitted in any form or any means without the written permission of the CIC. Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions.

Enquiries

Enquiries on this Material may be made to the Hong Kong Construction Industry Trade

Testing Centre at:

95, Yue Kwong Road Aberdeen Hong Kong

Tel: (852) 2100 9000

Fax: (852) 2100 9090

Email: enquiry@cic.hk

Website: www.cic.hk

© 2020 Construction Industry Council.

- 1. In accordance with the law, what kind of document must the workers hold to enter the construction site?
 - a. Mainland Travel Permit for Hong Kong and Macau Residents
 - b. Membership card of The Hong Kong Federation of Trade Unions
 - c. Medical card
 - d. Valid Construction Industry Safety Training Certificate (i.e. Green Card)
- 2. Which area is allowed to burn construction waste?
 - a. Open area
 - b. Temporary waste collection area
 - c. Temporary soil stockpiling area
 - d. Prohibited in any area
- 3. Which act is classified as the improper way of handling a hard hat?
 - a. Pairing it with ear muffs
 - b. Sticking labels on it
 - c. Drilling holes in it with added buckle
 - d. Pairing it with a dust mask
- 4. In terms of Dangerous Goods, oil-based paint is categorised as
 - a. Dangerous goods No. 3
 - b. Dangerous goods No. 5
 - c. Dangerous goods No. 7
 - d. None of the above
- 5. Which of the following colour is coloured paint?
 - a. Red
 - b. Black
 - c. White
 - d. Grey

| 6. | Which of the following materials has the slowest rate of volatilization a. Thinner | | | | |
|-----|--|--|--|--|--|
| | b. | Turpentine | | | |
| | C. | Alcohol | | | |
| | d. | Naphtha | | | |
| | . | | | | |
| 7. | Which of the following colour has the shortest wavelength in the | | | | |
| | spe | ectrum? | | | |
| | a. | Purple | | | |
| | b. | Green | | | |
| | C. | Red | | | |
| | d. | Yellow | | | |
| 0 | The bondones in O pools polsoptos guite heads would be | | | | |
| 8. | | e hardener in 2-pack polyester auto-body putty is to | | | |
| | a. | Tune the base colour of the auto-body putty | | | |
| | b. | Easily plaster the auto-body putty | | | |
| | C. | Solidify the polyester auto-body putty | | | |
| | d. | Intensify the masking power of the auto-body putty | | | |
| 9. | The blooming of spray paint is due to | | | | |
| | a. | The layers of paint being too thick | | | |
| | b. | The temperature being too high | | | |
| | C. | The moisture inside the paint | | | |
| | d. | The air bubbles existed in the paint | | | |
| 10. | Which of the following procedures could prevent the paint spray from | | | | |
| | blooming when facing humid condition? | | | | |
| | a. | Turn on a fan | | | |
| | b. | Expose it under ultraviolent light ray | | | |
| | C. | Turn on a ventilation fan | | | |
| | d. | Fully open the windows | | | |
| | | | | | |
| | | | | | |

| 11. | dia a. b. c. | nich of the following models of wood (red) sandpaper has the largest meter of sand granules? No. 100 No. 120 No. 150 No. 180 |
|-----|-----------------------|---|
| 12. | a. b. c. | nich of the following paints has the slowest rate of drying? Enamel paint Spray paint Brushing lacquer Clear Lacquer |
| 13. | a. b. c. | e main factor of affecting the quality of paint while spraying is The proper pressure Good quality of paint The uneven speed of spraying The good quality of thinner |
| 14. | | e applied pressure for the compressed air using for spraying effect ating should be Lower than atmospheric pressure Higher than atmospheric pressure Equal to atmospheric pressure None of the above |
| 15. | Wha.b.c. | rich of the following groups of paint cannot be mixed? Textured latex paint and emulsion paint Clear lacquer paint and brushing lacquer Varnish and oil-based paint Gloss latex paint and oil-based paint |

| 16. | | e more the dispersion of pigment in paint, the strength of tint and acity are | | | |
|-----|--|---|--|--|--|
| | a. | lower | | | |
| | b. | higher | | | |
| | C. | Cooler tone | | | |
| | d. | Warmer tone | | | |
| 17. | The usual width of paint scraper bought from the market is | | | | |
| | a. | 1 inches | | | |
| | b. | 2 inches | | | |
| | C. | 3 inches | | | |
| | d. | All of the above | | | |
| 18. | Which of the following width of paint scraper is hard to purchase on the market? | | | | |
| | a. | 1 inches | | | |
| | b. | 2 inches | | | |
| | C. | 4 inches | | | |
| | d. | 7 inches | | | |
| 19. | Which of the following safety practices should a painter poesses? | | | | |
| | a. | Smoking is forbidden during work | | | |
| | b. | Distant the flammable products from fire and take safety precaution | | | |
| | C. | Take proper safety precaution to prevent accidents from happening | | | |
| | d. | All of the above | | | |
| 20. | | accordance with the Prevention of Bribery Ordinance, the definition of Ivantage" includes Personal services only Loans only | | | |
| | C. | Loans and services only | | | |
| | d. | Gifts, loans and services - End of Paper - | | | |