

Marble Worker Intermediate Trade Test Study Material for Written Test

(Version : IMC-SM-EN-01)



此文件關於雲石（全科）中級工藝測試技術知識測試（筆試）內容參考資料。
如需索取此文件的中文版本，請致電 2100 9000 與香港建造業工藝測試中心聯絡。

Disclaimer

No part of this material may be reproduced or transmitted in any form or by any means without the written permission from the Construction Industry Council (CIC). Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions. The CIC will not assume any liability in relation to any loss or damage directly or indirectly resulted from unintended or/and unforeseeable use of this document.

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.

The CIC reserves all rights of final interpretation for any content in this document.

Enquiries

Enquiries on this material may be made to Hong Kong Construction Industry Trade Testing Centre at:

Address: 95 Yue Kwong Road, Aberdeen, Hong Kong

Tel: (852) 2100 9000

Fax: (852) 2100 9090

Email: hkcittc@cic.hk

Website: www.cic.hk

Marble Worker Intermediate Trade Test

Study Material for Written Test

This study material is a reference for candidate to prepare for attending written test in Intermediate Trade Test:

1. To cut marble panel, the commonly used tool is diamond blade.
2. To fix stone panel, kerf bracket will be used other than dowel (or pin) and brackets.
3. The common thickness of a piece of marble for stone cladding is 20mm.
4. Granite is not resistant to high temperature.
5. For stone cladding construction, the minimum thickness of marble panel is 20mm.
6. For marble panel fixing in stone cladding construction, the blending ratio of cement mortar to adhesive should be 1:2.
7. In stone cladding construction, fixing hold by anchor is that fixing connects marble panel to wall such as bracket and it mounted on wall by anchor bolt.
8. In stone cladding construction, fixing hold by mortar is that mortar used for holding the fixing on wall and it does not connect to the wall by anchor bolt.
9. The best cement mortar can be obtained after mixing by mortar mixer by 5 minutes.
10. The first step of installing marble panel onto the wall is positioning and calibrating level.
11. To lay marbles onto the wall, the proper procedure is to lay it upward from the floor level to the top of the wall.
12. To fix broken marble, marble glue should be use.
13. To polish the marble panel surface, oxalic acid and polishing powder should be used together.
14. The method of paving marble flooring unit on the slab is to keep low water content of cement mortar.
15. The best method of moving heavy object is utilizing machine as much as possible.
16. No person should work under a hoisted cargo in any circumstance.
17. While working at height, in addition to the safety helmet, safety belt and independent lifeline should be properly used.

18. According to Construction Sites (Safety) Regulations, no person should enter a construction site unless he/she is wearing a suitable safety helmet.
19. A person should be serious at work and should uphold work ethics including integrity, be honest and responsible, and keep moral principles. Never corrupt and accept illegal advantage.
20. Accidents are usually caused by carelessness or negligence.

Precautions

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails. There are different versions of the test paper, content include but not limited to tools, materials, equipment, drawing, construction details or procedures and different simulated site environments. Candidates should refer to the official test documents during testing.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.