

HONG KONG CONSTRUCTION INDUSTRY TRADE TESTING CENTRE 香港建造業工藝測試中心

Mechanical Fitter Trade Test Written Test Mock Paper

(Version: EME-WM-EN-01)



此文件關於機械打磨裝配工技能測試(大工)技術知識測試(筆試)模擬試題。 如需索取此文件的中文版本·請致電 2100 9000 與香港建造業工藝測試中心聯絡。

Disclaimer

No part of this material may be reproduced or transmitted in any form or by any means without the written permission from the Construction Industry Council (CIC). Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this material, the CIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this material as a substitute for such professional advice for taking any relevant actions. The CIC will not assume any liability in relation to any loss or damage directly or indirectly resulted from unintended or/and unforeseeable use of this document.

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.

The CIC reserves all rights of final interpretation for any content in this document.

Enquiries

Enquiries on this material may be made to Hong Kong Construction Industry Trade Testing Centre (HKCITTC) at:

Address: 95 Yue Kwong Road, Aberdeen, Hong Kong

Tel: (852) 2100 9000 Fax: (852) 2100 9090 Email: hkcittc@cic.hk Website: www.cic.hk

Version: EME-WM-EN-01

Mechanical Fitter Trade Test Written Test Mock Paper

- Which of the following is the reason why a construction site worker must wear a safety helmet?
 - a. To protect one's head to avoid injuries. It is also a statutory requirement.
 - b. To withstand wind and rain
 - c. To identify different types of work
 - d. To withstand the sun
- 3. A worker will be prone to accident if he/ she wears when doing lathe work.
 - a. Cotton gloves
 - b. Tight-sleeved overall
 - c. A waist belt
 - d. A safety helmet
- 5. Which of the following is not relevant to the 6. choice of speed of drilling machine?
 - a. Depth of the drilled hole
 - b. Feed of cutting
 - c. Hardness of the work piece
 - d. Diameter of the drilled hole
- 7. If drilling the soft material, the speed of the drill should be:
 - a. Fast
 - b. Slow
 - c. Constant
 - d. Vary

- 2. Which category of personnel should repair a fault of a fixed electrical installation?
 - a. By a person who has received safety training
 - b. By a staff member who is familiar with the equipment
 - c. By a worker wearing suitable protective clothing
 - d. By a registered electrical worker
- 4. While using an abrasive wheel for grinding workpiece, one should _____.
 - a. Hold a fire extinguisher to put out the sparks
 - b. Pour water on the workpieces for cooling down
 - c. Make stronger illumination for clearer vision for workpieces
 - d. Use the screen to block sparks from spilling
 - When using a tap to make inside threads, the diameter of the drilled hole should be equal to:
 - a. The outside diameter minus the inside diameter
 - b. The length minus the outside diameter
 - c. The inside diameter minus the pitch
 - d. The outside diameter minus the pitch
- 8. When a hole is about to drill through with a handheld electric saw, the pressure applied should:

Version: EME-WM-EN-01

- a. Be changing
- b. Remain the same
- c. Be increased
- d. Be reduced

Precautions

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails. There are different versions of the test paper, content include but not limited to tools, materials, equipment, drawing, construction details or procedures and different simulated site environments. Candidates should refer to the official test documents during testing.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.

Mechanical Fitter Trade Test Written Test Mock Paper (Con't)

- size of the hole that would be reamed should be:
 - 10.00mm a.
 - b. 9.45mm
 - 9.30mm c.
 - d. 9.70mm
- 11. It is best to use a/an to cut 12. When using a reamer to cut holes, the hard materials.
 - Emery wheel a.
 - Band saw b.
 - Hacksaw lathe c.
 - d. Hand hacksaw
- 13. A common "vernier scale" cannot directly 14. A common "twist drill" is made of: measure:
 - Taper a.
 - b. Inner diameter
 - c. Step difference
 - Depth
- 15. If the head of the chisel has been chipped, 16. what should the user do?
 - Immediately repair or replace a chisel with a chipped head
 - Immediately wear safety goggles
 - Immediately reduce the striking force c.
 - Immediately reduce the striking speed

- If the diameter of the reamer is 10mm, the 10. The best tool for making a smooth hole with accurate size is a:
 - Mould puncher a.
 - b. Round file
 - Twist drill C.
 - d. Reamer
 - cutting direction should be:
 - a. Clockwise
 - b. Counter-clockwise
 - Pressed downwards c.
 - Pulled upwards
 - - Stainless steel a.
 - b. Tool steel
 - c. Carbonized tungsten
 - d. High speed steel
 - The size of the open end wrench is counted by:

Version: EME-WM-EN-01

- a. The thickness of the wrench
- b. The length of the wrench
- c. The angle of the wrench
- d. The width of the open jaw

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails. There are different versions of the test paper, content include but not limited to tools, materials, equipment, drawing, construction details or procedures and different simulated site environments. Candidates should refer to the official test documents during testing.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.

Mechanical Fitter Trade Test Written Test Mock Paper (Con't)

- 17. What is the minimum amount of "interest" 18. A person should be serious at work and as stated in Prevention of Bribery Ordinance?
 - \$100
 - \$200 b.
 - \$500 c.
 - d. No limited amount

- should uphold work ethics, including:
 - Appropriation of other's property
 - Craving for personal interest and b. neglecting the damages dealt to others
 - Accepting money and other advantages
 - d. Integrity, be honest and responsible, keep moral principles. Never corrupt and accept illegal advantage.
- 19. When lifting heavy objects, which of the 20. What may happen if working under hot and following methods is correct?
 - Correct posture should be used. Workers should remain upright in their back.
 - b. Ask for a heavier load each time to hasten the process
 - Throw the object to higher places to c. strengthen the body
 - Hasten the speed of work suddenly d.

humid environments for a long period?

Version: EME-WM-EN-01

- a. Heat stroke
- b. Temporary blindness
- c. Hunger
- d. Anaemia

This document is provided as reference for test preparation only. Under all circumstances all content in the official test papers, including but not limited to the terms and conditions therein, prevails. There are different versions of the test paper, content include but not limited to tools, materials, equipment, drawing, construction details or procedures and different simulated site environments. Candidates should refer to the official test documents during testing.

The CIC reserves the right, at its sole and absolute discretion, to change, update or delete the contents in this document at any time without prior notice.